



brother[®]
at your side


**The wait is over – enjoy fast
colour prints from our compact,
all-in-one business printers**



**COMPACT COLOUR
9000 SERIES**

**PRINT, COPY
SCAN & FAX[^]
ALL-IN-ONE**

**MORE EFFICIENCY WITH
FAST COLOUR
PRINT SPEED**

A close-up, profile view of a young man with dark hair and a light beard, smiling broadly. He is wearing a green button-down shirt. He is holding a white marker in his right hand, pointing it towards a whiteboard. The whiteboard has some faint, hand-drawn sketches and arrows. The background is bright and out of focus.

**Employ a speedy
worker that
knows all about
multi-tasking**

You know what it's like. You need one machine to copy. One machine to print. One machine to scan and so it goes on. Where will you find the space in a small or home office? Most importantly, how much will it cost you to buy all of these essentials? With Brother's new range of compact colour all-in-one printers, you'll get a fast, high quality machine that prints, copies, scans and also faxes without the fast lane price tag.

Super efficient

All the printers in our range will produce professional results time after time, in no time at all, thanks to features like the impressive 16 pages per minute colour and mono print speed and hi-speed fax.[^] Which means you'll get things done faster.

Plus with extra features such as wireless and ethernet connectivity, direct USB printing, secure print and a range of flexible scanning options (to USB, PDF, FTP, network and email), there's certainly no compromise on quality.

Super savings

With printing, copying, scanning and even faxing all in just one handy machine, you'll save space in the office and money too, as you only need one machine instead of three or four. And, as they're network ready too, everyone in the office can share just one printer. To keep costs down further, each printer has a colour restrict feature, which means that only designated users can print in colour. Each machine also comes with a free 1000-sheet colour toner in the box, so you'll save money from the word go.

* Fax not available on the DCP-9010CN

Make light work of office work with a range of handy features

The perfect solutions for small businesses. Our handy machines can take care of all your office needs with professional-quality results, low running costs and lots of other time-saving features.

Save time

with fast 16ppm colour and mono print speeds and direct printing from USB

Saves money

as one machine does it all. And as they're all network ready, everyone can share just one machine

Less refilling

with large 250 sheet paper tray and 35 sheet automatic feeder to handle multi-page documents

Go green

with a range of printers that meet Energy Star and Blue Angel environmental standards



MFC-9320CW

Here are a few pointers to help you choose

You know what you need from your printer and what will be useful to you. While you can expect hi-spec features we're not here to blind you with science. So to help put you in the picture take a look at the handy table below, which will make it easy for you to choose the right one.

Compact Colour All-in-One Printers



	DCP-9010CN	MFC-9120CN	MFC-9320CW
16ppm colour and mono printing	•	•	•
Colour copy, scan	•	•	•
Hi-speed faxing		•	•
Network ready	•	•	•
Wireless network ready			•
USB host			•
250 sheet paper tray	•	•	•
35 sheet ADF	•	•	•
PCL & Postscript Emulation	•	•	•
Scan to FTP		•	•
Scan to PDF	•	•	•
Scan to Network Location		•	•

Space-saving technology

The technology inside our 9000 series all-in-ones allows you to enjoy high-resolution laser-quality printing from a more compact, space-saving printer. Which makes them the ideal choice for small businesses.



Awarded 100 out of 100 by the Ethical Company Organisation for the third year running

Green and clean



Our models use non-hazardous materials and are designed to be recycling friendly to meet the renowned Energy Star and Blue Angel environmental standards. As a company our environmental and ethical standards are second to none. All Brother consumables can be recycled for free at our award-winning plant in North Wales. We were even awarded 100 out of 100 by the Ethical Company Organisation for the third year in a row – the only printer manufacturer to achieve this.

And our commitment to the environment now includes sponsoring 4 square kilometres of Amazon rainforest in partnership with Cool Earth, which protects endangered areas to help combat global warming.

Little extras to make you feel good

No one wants to feel 'stranded' so in the unlikely event of something going wrong with your printer we're happy to take control. You're covered by a 12 month warranty plus 24 hour online support and a dedicated helpline during office hours.

Cleverly designed consumables



Get the most from your Brother printers by using specifically designed consumables. When the toner runs out simply replace it with the one specially designed for use in your model – it's long-lasting, great value and knows exactly what your model needs to run at its very best.

Technical Specifications MFC-9120CN & MFC-9320CW

MFC-9120CN

Colour LED Printer	
Technology	Electrophotographic LED printer (Single Pass)
Print Speed A4	Up to 16ppm Colour & Mono
Resolution	Up to 2,400 x 600dpi [†] print resolution
Warm Up Time	27 seconds (from sleep mode)
First Print Out Time	16 seconds (Colour), 15 seconds (Mono)
Emulation	PCL@6, BR-Script 3
Resident Fonts	PCL@6 - 66 Scalable Fonts, 12 Bitmap Fonts, 13 Barcodes Postscript@3 - Compatible fonts: 66
Interface	Hi-Speed USB 2.0
Network	10/100 Base-TX
Display	2 line, 16 characters green back-lit LCD, 2 LEDs (error, data)
Colour Copier	
Copy Speed A4	Up to 16cpm Colour & Mono
Resolution	600 x 600dpi
First Copy Out Time	Less than 24 seconds (Colour), 19 seconds (Mono)
Stack & Sort	Stack and sort multiple copied documents
Reduction / Enlargement Ratio	Reduce and enlarge documents from 25% to 400% using 1% increments
Colour Fax	
Modem Speed	33,600bps (G3)
Internet Fax***	Fax documents anywhere in the world over the Internet without the use of a telephone line
Fax/Tel Switch	Automatic recognition of fax and telephone reception
One-Touch Dial	8 (4 x 2) locations
Speed & Group Dial	Up to 200 speed locations and up to 20 groups
Automatic Redial	Automatically redials number if line is busy
Distinctive Ring Detection	Ability to detect different ring styles (UK and Denmark only)
Fax Forward and Retrieval	Forward or retrieve faxes to or from another location
Transmit / Receive Memory	Up to 500 pages (ITU-T Test Chart, Standard Resolution, MMR)
Error Correction Mode (ECM)	Resending of failed documents where sending fax shares ECM
PC-Fax	Send & receive faxes from your PC using a phone line (Receiving is for Windows® only)
Colour Scanner	
Resolution	1,200 x 2,400dpi (from scanner glass) 1,200 x 600dpi (from ADF)
Resolution (Enhanced) Grey Scale	19,200 x 19,200dpi 256 shades of grey are available for copying, faxing and scanning
Colour Depth	48 bit internal, 24 bit external
Scan Functions	Scan to E-mail / OCR / Image / File** Scan to E-mail Server** Scan to FTP / Network
Media Specifications	
Media Types	Standard Paper Tray - Plain, Recycled Paper, Thin Paper Manual Feed Slot - Plain Paper, Thin Paper, Thick Paper, Recycled, Paper, Bond, Label, Envelope, Thin Envelope
Media Weights	Standard Paper Tray - 60 to 105g/m2 (16 to 28lb) ADF - 64 - 90g/m2 (17 - 24lb) Manual Feed Slot - 60 to 163g/m2 (16 to 43lb)
Media Sizes	Standard Paper Tray - A4, Letter, ISOB5, A5, ISOB6, A6, Executive, Legal, Folio ADF - Width 147.3 to 215.9mm, Length 147.3 to 356.0mm (Width 5.8" to 8.5", Length 5.8" to 14.0") Manual Feed Slot - Width 76.2mm to 220mm, Length 116mm to 406.4mm (Width 3.0" to 8.66", Length 4.57" to 16")

MFC-9320CW as above plus:

Colour LED printer	
Network	10/100 Base-TX, Wireless LAN IEEE802.11b/g (Infrastructure Mode/Adhoc Mode)
Colour Scanner	
Scan Functions	Scan to FTP / Network / USB Flash Memory Drive
USB Direct Interface	
USB Direct Print	Print images or files directly from a USB Flash Memory Drive.
File Formats - Print	PDF (version 1.7), Microsoft XPS (version 1.0), JPEG, Exif + JPEG, PRN (created by MFC-9320CW series printer driver), TIFF (MH) (scanned by Brother model).

Printer Driver Software	
Windows®	Windows Vista®, Windows® XP Professional (32 & 64 bit editions) / XP Home Edition, Windows Server+ 2003® (32 & 64 bit editions), Windows Server® 2008®, Windows® 2000 Professional
Macintosh®	Mac OS® X 10.3.9 or greater
Linux**	CUPS printing system (x86, x64 environment), LPD/LPRng printing system (x86, x64 environment)
Printer Driver Functions	
N-up Printing	Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page
Poster Printing	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact
Watermark Printing	Add predefined text or user-defined messages to your documents as a watermark
Booklet Printing	Print easy-to-read, professional documents in A5 booklet format using manual duplex
Secure Print	Protect your print jobs with a PIN number
Colour Control Tool	Edit the colour settings in the printer driver to get accurate colours everytime
Colour Restriction Tool	Colour printing can be restricted for individual users by an administrator to control costs
Header and Footer	Print the time & date and/or the user ID on the documents
Network	
Web Based Management	Web browser print server management
Driver Deployment Wizard	A quick and easy way to deploy Brother printer drivers on a networked Windows® PC
BRAdmin Light	Print server management for Windows® and Mac OS X® 10.3.9 or greater
BRAdmin Professional***	For LAN / WAN management
Protocols	TCP/IP (IPv4 & IPv6)
IPv4 Supported Protocols	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/ IPPS, FTP Client and Server, TELNET Server, HTTP/ HTTPS server, SSL/TLS, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH, SNMPv1/v2c/v3, ICMP, LLTD responder, WebServicesPrint, CIFS Client, SNTIP
IPv6 Supported Protocols	NDR, RA, DNS resolver, mDNS, LLNMR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Client and Server, TELNET Server, HTTP/HTTPS server, SSL/ TLS, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH, SNMPv1/v2c/v3, ICMPv6, LLTD responder, WebServicesPrint, CIFS Client, SNTIP
Supplies	
Inbox Toners	1,000 pages* C, M, Y
Toner Black	2,200 pages* BK
Toner Colour	1,400 pages* C, M, Y
Drums	15,000 pages (one page per job) C, M, Y, BK
Belt Unit	Up to 50,000 pages
Waste Toner Box	Up to 50,000 pages
Dimensions / Weight	
With Carton	743 (W) x 592 (D) x 575 (H) mm / 29.0kg
Without Carton	428 (W) x 491 (D) x 401 (H) mm / 22.9kg
Others	
Power Consumption	480W copying 75W ready 11W sleep
Noise Level	Sound Pressure - Less than 53dBA when copying, less than 30dBA in ready, Sound Power - Less than 6.5B when copying, less than 4.8 in ready
Ecology	Power Save - Consume less energy when not in use Toner Save - Reduces toner usage
Recommended Monthly Print Volume	300 to 1,500 pages
Scan to USB	
Scan to USB	Scan images or documents to USB Flash Memory Drives
File Formats - Scan	PDF (version 1.3), Microsoft XPS (version 1.0), JPEG, TIFF, Wireless Easy Setup Secure Easy Setup™ (SES), Wi-Fi Protected Setup™ (WPS), AirStation Power Consumption 12W sleep
Network	
Wireless Network Security	WEP, WPA-128bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP&AES), LEAP, CKIP, EAP-FAST (TKIP/AES)
Wireless Easy Setup	Secure Easy Setup™ (SES), Wi-Fi Protected Setup™ (WPS), AirStation OneTouch Secure System™ (AOSS)

* Declared yield value in accordance with ISO/IEC 19798 ** Requires Brother Software

*** Optional free downloads available from <http://solutions.brother.com> † Vertical x Horizontal Resolution + Network printing only

Technical Specifications DCP-9010CN

Colour LED Printer	
Technology	Electrophotographic LED printer (Single Pass)
Print Speed A4	Up to 16ppm Colour & Mono
Resolution	Up to 2,400 x 600dpi [†] print resolution
Warm Up Time	27 seconds (from sleep mode)
First Print Out Time	16 seconds (Colour), 15 seconds (Mono)
Emulation	PCL@6, BR-Script 3
Resident Fonts	PCL@6 - 66 Scalable Fonts, 12 Bitmap Fonts, 13 Barcodes Postscript@ 3 - Compatible fonts: 66
Interface	Hi-Speed USB 2.0
Network	10/100 Base-TX
Display	2 line, 16 characters green back-lit LCD 2 LEDs (error, data)

Colour Copier	
Copy Speed A4	Up to 16cpm Colour & Mono
Resolution	600 x 600dpi
First Copy Out Time	Less than 24 seconds (Colour), 19 seconds (Mono)
Stack & Sort	Stack and sort multiple copied documents
Reduction / Enlargement Ratio	Reduce and enlarge documents from 25% to 400% using 1% increments

Colour Scanner	
Resolution	1,200x2,400dpi (from scanner glass), 1,200x600dpi (from ADF)
Resolution (Enhanced)	19,200 x 19,200dpi
Grey Scale	256 shades of grey are available for copying and scanning
Colour Depth	48 bit internal, 24 bit external
Scan Functions	Scan to E-mail / OCR / Image / File**

Media Specifications	
Media Types	Standard Paper Tray - Plain Paper, Recycled Paper, Thin Paper, Manual Feed Slot - Plain Paper, Thin Paper, Thick Paper, Recycled, Paper, Bond, Label, Envelope, Thin Envelope
Media Weights	Standard Paper Tray - 60 to 105g/m2 (16 to 28lb) ADF - 64 - 90g/m2 (17 - 24lb) Manual Feed Slot - 60 to 163g/m2 (16 to 43lb)
Media Sizes	Standard Paper Tray - A4, Letter, ISOB5, A5, ISOB6, A6, Executive, Legal, Folio, ADF - Width 147.3 to 215.9mm, Length 147.3 to 356.0mm (Width 5.8" to 8.5", Length 5.8" to 14.0") Manual Feed Slot - Width 76.2mm to 220mm, Length 116mm to 406.4mm (Width 3.0" to 8.66", Length 4.57" to 16")

Printer Driver Software	
Windows®	Windows Vista®, Windows® XP Professional (32 & 64 bit editions) / XP Home Edition, Windows Server® 2003® (32 & 64 bit editions), Windows Server+ 2008®, Windows® 2000 Professional
Macintosh®	Mac OS® X 10.3.9 or greater
Linux***	CUPS printing system (x86, x64 environment), LPD/LPRng printing system (x86, x64 environment)

Printer Driver Functions	
N-up Printing	Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page
Poster Printing	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact
Watermark Printing	Add predefined text or user-defined messages to your documents as a watermark
Booklet Printing	Print easy-to-read, professional documents in A5 booklet format using manual duplex
Secure Print	Protect your print jobs with a PIN number
Colour Control Tool	Edit the colour settings in the printer driver to get accurate colours everytime
Colour Restriction Tool	Colour printing can be restricted for individual users by an administrator to control costs
Header and Footer	Print the time & date and/or the user ID on the documents

Network	
Web Based Management	Web browser print server management
Driver Deployment Wizard	A quick and easy way to deploy Brother printer drivers on a networked Windows® PC
BRAdmin Light	Print server management for Windows® and Mac OS X® 10.3.9 or greater
BRAdmin Professional^	For LAN / WAN management
Protocols	TCP/IP (IPv4 & IPv6)
IPv4 Supported Protocols	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Client and Server, TELNET Server, HTTP/HTTPS server, SSL/TLS, TFTP client and server, SMTP Client, APOP, POP before SMTR, SMTP-AUTH, SNMPv1/v2c/v3, ICMP, LLTD responder, WebServicesPrint, CIFS Client, SNTp
IPv6 Supported Protocols	NTP, RA, DNS resolver, mDNS, LLNMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Client and Server, TELNET Server, HTTP/HTTPS server, SSL/TLS, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH, SNMPv1/v2c/v3, ICMPv6, LLTD responder, WebServicesPrint, CIFS Client, SNTp

Supplies	
Inbox Toners	1,000 pages* C, M, Y
Standard Toner Black	2,200 pages* BK
Standard Toner Colour	1,400 pages* C, M, Y
Drums	15,000 pages (one page per job) C, M, Y, BK
Belt Unit	Up to 50,000 pages
Waste Toner Box	Up to 50,000 pages

Dimensions / Weight	
With Carton	743 (W) x 592 (D) x 575 (H) mm / 28.2kg
Without Carton	428 (W) x 491 (D) x 401 (H) mm / 22.7kg

Others	
Power Consumption	480W copying, 75W ready, 10W sleep
Noise Level	Sound Pressure - Less than 53dBA when copying, less than 30dBA in ready, Sound Power - Less than 6.5B when copying, less than 4.8B in ready
Ecology	Power Save - Consume less energy when not in use. Toner Save - Reduces toner usage
Recommended Monthly Print Volume	300 to 1,500 pages

* Declared yield in accordance with ISO/IEC 19752.

** Requires Brother Software

*** Optional free downloads available from <http://solutions.brother.com>

† Vertical and Horizontal resolution

+ Network printing only

Brother UK Ltd, Audenshaw, Manchester M34 5JD

Telephone: 08444 999 444 Fax: 0870 830 4031

Website: www.brother.co.uk

Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

ZLFT9000SERIESU3 RAFT 10/09 V1

